

Impact 2525 Recessed

LINEAR LED



Product Code

ME08RE



Technical Description

Create the perfect lines

- Impact 2525 Linear LED and Extrusion is highly versatile and can be recessed and customised to suit a number of applications
- A slimline profile to provide efficient lighting for well-designed office and communal spaces
- RGBW available upon request
- For customised versions of this product, please [contact us](#)

Electrical Specifications


System Power	10W, 14.4W, 15W, 19.2W
Input Voltage	24V DC
Control Type	ON/OFF, DALI, Casambi, DMX

Photometric Info


Luminaire Lumens	470lm, 665lm, 620lm, 1110lm, 1775lm
CRI	CRi90
CCT	2700K, 3000K, 3500K, 4000K, Tunable White(2600K-6500K)
Beam Angle	110°
Lumen Maintenance	>81, 000hrs (L70B30)
MacAdam Step	3 Step

Physical Characteristics









Installation Method	Fixed Recessed
Trim Finish	White, Black, Silver
IP Rating / IK Rating	IP20
Accessories	Linea COB 10W, Linea 14.4W, Linea-HE 14.4W, Linea COB Tunable White 15W, Linea-HE 19.2W
Weight	0.2Kgs
Fitting Material	Aluminium








Polar Distribution Diagrams



Product Accessories

Item	Code	Description
	MAE08EC3	Mondolux Accessories Extrusion End Cap Closed Impact 2525 Recessed Silver
	MAE08EO3	Mondolux Accessories Extrusion End Cap Open Impact 2525 Recessed Silver
	MAE08SC3	Mondolux Accessories Extrusion Spring Clip Impact 2525/ Impact 3535 Recessed Silver
	ML15SM40	Mondolux Flexible Strip Per Metre Linea COB 10W 24VDC 10mm Width CRI90 850lm 480LEDs IP43 50mm Cuttable Length (Available in 3000K/ 4000K)
	ML05SM31	Mondolux Flexible Strip Per Metre Linea 14.4W 24VDC 8mm Width CRI90 1100lm 180LEDs IP20 33.33mm Cuttable Length (Available in 2700K/ 3000K/ 3500K/ 4000K)
	ML05SM42-IP43	Mondolux Flexible Strip Per Metre Linea-HE 14.4W 24VDC 10mm Width CRI90 2000lm (Max.) 160LEDs IP43 50mm Cuttable Length (Available in 3000K/ 4000K)
	ML06SM42-IP43	Mondolux Flexible Strip Per Metre Linea-HE 19.2W 24VDC 10mm Width CRI90 3200lm (Max.) 160LEDs IP43 50mm Cuttable Length (Available in 3000K/ 4000K)
	MAE08DIO	Mondolux Accessories Extrusion Diffuser Impact 2525 Fixed Recessed/ Suspended Opal 1000mm x W25mm

Item	Code	Description
	MAE00SU3	Mondolux Accessories Extrusion Suspension Impact 2525/ 3535/ 3875/ 5032/ 5075/ 7532/ 7578/ 5075 Up/Down 3000mm (3M) Suspended Silver
	MAE08EC1	Mondolux Accessories Extrusion End Cap Closed Impact 2525 Recessed White
	MAE08EC2	Mondolux Accessories Extrusion End Cap Closed Impact 2525 Recessed Black
	MAE08EO1	Mondolux Accessories Extrusion End Cap Open Impact 2525 Recessed White
	MAE08EO2	Mondolux Accessories Extrusion End Cap Open Impact 2525 Recessed Black