

Infinite possibilities..




- Elevates architectural value - with low glare and high efficacy
- White, Black, Rose Gold and Chrome baffle options available
- CRI>90 standard, CRI97 available on request
- Perfectly suited to premium lighting applications - hospitality, multi-residential and retail
- For any custom requirements, please **contact us**

Product info


System Lumen Range	675lm — 1830lm
System Power	7W, 13W, 18W
Forward Current	180mA, 350mA, 500mA
System Efficacy (max.)	102lm/W
Body/Trim Colour	White, Black
Installation Method	Fixed Recessed
LED Brand	CREE, Bridgelux
Dimming Type	Phase-Cut Dimmable, Wireless Dimmable (Casambi), Non-Dimmable, DALI Dimmable

Bron Fixed 7W




*allowed tolerance in mm

Bron Fixed 13W




*allowed tolerance in mm

Bron Fixed 18W



*allowed tolerance in mm

Compliance and Features



Photometric info

Colour Rendering Index (CRI)	CRI90, CRI97+
Colour Temperature (CCT)	2700K, 3000K, 4000K, Dim To Warm
Beam Angle	15°, 30°, 50°

Packaging

Box Dimensions L x W x H mm	110 mm x 110 mm x 200 mm
Boxes per Carton	24
Carton Weight	12 KG
Carton Dimensions L x W x H mm	450 mm x 340 mm x 410 mm

Product Accessories

Black Baffle

Chrome Baffle

Rose Gold Baffle

White Baffle

Deep-Black Baffle

Deep-Chrome Baffle

Deep-Rose Gold Baffle

Deep-White Baffle

Deep-Black Baffle-Diamond

Deep-Black Baffle-Frosted

Deep-Black Baffle-Honeycomb

Deep-Black Baffle-IP44

Deep-Black Baffle-Line

Deep-Chrome Baffle -Diamond

Deep-Chrome Baffle -Frosted

Deep-Chrome Baffle -Honeycomb

Deep-Chrome Baffle -IP44

Deep-Chrome Baffle -Line

Deep-Rose Gold Baffle-Diamond

Deep-Rose Gold Baffle-Frosted

Deep-RoseGold Baffle-Honeycomb

Deep-Rose Gold Baffle-IP44

Deep-Rose Gold Baffle-Line

Deep-White Baffle-Diamond

Deep-White Baffle-Frosted

Deep-White Baffle-Honeycomb

Deep-White Baffle-IP44

Deep-White Baffle-Line

Black Baffle-Diamond

Black Baffle-Frosted

Black Baffle-Honeycomb

Black Baffle-IP44

Black Baffle-Line

Chrome Baffle-Diamond

Chrome Baffle-Frosted

Chrome Baffle-Honeycomb

Chrome Baffle-IP44

Chrome Baffle-Line

Rose Gold Baffle-Diamond

Rose Gold Baffle-Frosted

Rose Gold Baffle-Honeycomb

Rose Gold Baffle-IP44


Rose Gold Baffle-Line

White Baffle-Diamond


White Baffle-Frosted

Polar distribution diagrams

*Bron 7W/13W/18W 15°



*Bron 7W/13W/18W 30°



*Bron 7W/13W/18W 50°

